

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant	: Arnold, et al.	Art Unit	: 2628
Serial No.	: 10/816,582	Examiner	: Jeffrey J. Chow
Filed	: March 31, 2004	Conf. No.	: 8418
Title	: EDGE DETECTION BASED STROKE ADJUSTMENT		

**MAIL STOP AMENDMENT**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**INFORMATION DISCLOSURE STATEMENT**

Please consider the references listed on the enclosed PTO-1449 form. Foreign patent documents and non-patent literature are enclosed; cited U.S. patents and patent application publications will be provided on request. A copy of a communication from a foreign patent office in a counterpart application is also enclosed.

This statement is being filed after a first Office action on the merits, but before receipt of a final Office action or a Notice of Allowance.

The late submission fee under §1.17(p) in the amount of \$180 is being paid concurrently herewith on the Electronic Filing System (EFS) by way of Deposit Account authorization. Please apply any other charges or credits to Deposit Account No. 06-1050, referencing Attorney Docket No. 07844-0636001.

Respectfully submitted,

Date: March 20, 2009 \_\_\_\_\_

/Brenda M. Leeds Binder/ \_\_\_\_\_  
Brenda M. Leeds Binder  
Reg. No. 57,520

**Customer No. 21876**  
Fish & Richardson P.C.  
Telephone: (650) 839-5070  
Facsimile: (877) 769-7945